L Number	Hits	Search Text	DB	Time stamp
1	12758	(distance adj2 (map\$1 or transform\$1 or	USPAT;	2003/12/11 12:12
_		domain or image\$1))	US-PGPUB;	,,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	383	((distance adj2 (map\$1 or transform\$1 or	USPAT;	2003/12/11 12:11
		<pre>domain or image\$1))) with (downsampl\$3 or (down adj sampl\$3) or subsampl\$3 or (sub adj</pre>	US-PGPUB; EPO; JPO;	
	1	sampl\$3) or sampl\$3 or resolution)	DERWENT;	
	ļ	bampiya, or bampiya or resolucion,	IBM TDB	
3	177	((distance adj2 (map\$1 or transform\$1 or	USPAT;	2003/12/11 11:55
		domain or image\$1))) near4 (downsampl\$3 or	US-PGPUB;	
		(down adj sampl\$3) or subsampl\$3 or (sub adj	EPO; JPO;	
		<pre>sampl\$3) or sampl\$3 or resolution)</pre>	DERWENT;	
	142	((3)	IBM_TDB	2002/20/22 22 52
4	143	((distance adj2 (map\$1 or transform\$1 or	USPAT;	2003/12/11 11:57
		<pre>domain or image\$1))) near3 (downsampl\$3 or (down adj sampl\$3) or subsampl\$3 or (sub adj</pre>	US-PGPUB; EPO; JPO;	
		sampl\$3) or sampl\$3 or resolution)	DERWENT;	
	1	bampips, or sampips of resolution,	IBM TDB	
5	119	(((distance adj2 (map\$1 or transform\$1 or	USPAT;	2003/12/11 11:58
		domain or image\$1))) near3 (downsampl\$3 or	US-PGPUB;	
		(down adj sampl\$3) or subsampl\$3 or (sub adj	EPO; JPO;	
	ŀ	<pre>sampl\$3) or sampl\$3 or resolution)) and</pre>	DERWENT;	
	_	((@ad<20001213)) or (@rlad<20001213))	IBM_TDB	
6	0	(USPAT;	2003/12/11 12:11
1		<pre>domain or image\$1))) with (undersampl\$3 or (under adj sampl\$3))</pre>	US-PGPUB; EPO; JPO;	
		(under ad) sampiss//	DERWENT;	
			IBM TDB	
7	696	distance adj2 map\$1	USPAT;	2003/12/11 12:15
i i	ļ	<u> </u>	US-PGPUB;	
1	!		EPO; JPO;	1
1			DERWENT;	
		(3 3 40 13 40 1 13 40 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	IBM_TDB	0000/10/11 10 10
8	106541		USPAT;	2003/12/11 12:18
		curve\$1 or edge\$1) near4 distance\$1	US-PGPUB; EPO; JPO;	
			DERWENT:	
			IBM TDB	
10	5040	subpixel or (sub adj pixel) or subgrid\$1 or	USPAT;	2003/12/11 12:19
		(sub adj grid)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
11	1	(subpixel or (sub adj pixel) or subgrid\$1 or	USPAT;	2003/12/11 12:19
**	Ŧ	(sub adj grid)) and ((distance adj2 map\$1)	US-PGPUB;	2003/12/11 12:19
		same ((boundar\$3 or outline\$1 or contour\$1	EPO; JPO;	
		or curve\$1 or edge\$1) near4 distance\$1))	DERWENT;	
		_	IBM_TDB	
9	44		USPAT;	2003/12/11 12:23
		outline\$1 or contour\$1 or curve\$1 or edge\$1)	US-PGPUB;	
		near4 distance\$1)	EPO; JPO;	
			DERWENT; IBM TDB	
_	584	 (distance adj (map\$1 or transform\$1 or	USPAT;	2003/12/11 11:46
	204	domain))	US-PGPUB;	2005/12/11 11.40
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	, , , , , , , , , , , , , , , , , , ,	USPAT;	2003/12/11 11:50
		domain))) with (downsampl\$3 or (down adj	US-PGPUB;	
1		sampl\$3) or subsampl\$3 or (sub adj sampl\$3))	EPO; JPO;	
			DERWENT; IBM TDB	
_	1	((distance adi (map\$1 or transform\$1 or	· —	2003/12/10 18:03
-	1		USPAT; US-PGPUB;	2003/12/10 18:03
-	1	((distance adj (map\$1 or transform\$1 or domain))) same (downsampl\$3 or (down adj sampl\$3) or subsampl\$3 or (sub adj sampl\$3))	USPAT;	2003/12/10 18:03
-	1	domain))) same (downsampl\$3 or (down adj	USPAT; US-PGPUB;	2003/12/10 18:03

-	21	((distance adj (map\$1 or transform\$1 or	USPAT;	2003/12/10 18:14
		domain))) near5 sampl\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	11	((distance adj (map\$1 or transform\$1 or	USPAT;	2003/12/10 18:14
		domain))) with resolution	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

L Number	Hits	Search Text	DB	Time stamp
1	705	distance adj2 transform\$5	USPAT; US-PGPUB;	2003/12/11 14:43
			EPO; JPO; DERWENT; IBM TDB	
3	1	(distance adj2 transform\$5) same (subpixel or (sub adj pixel) or subgrid or (sub adj grid))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 14:45
4	1	(distance adj2 transform\$5) same (subsampl\$3 or (sub adj sampl\$3) or downsampl\$3 or (down adj sampl\$3) or undersampl\$3 or (under adj sampl\$3))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 14:47
5	28	(distance adj2 transform\$5) same (sampl\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:47

L Number	Hits		DB	Time stamp
1	380	distance adj map\$1	USPAT;	2003/12/13 11:21
}			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	34756	(lower\$3 or reduc\$4 or decreas\$3) near3	USPAT;	2003/12/13 11:21
		resolution	US-PGPUB;	
			EPO; JPO;	
	·		DERWENT;	
	110060		IBM_TDB	2002/12/12 11 21
3	118960	multiresolution or (multi adj resolution) or	USPAT;	2003/12/13 11:21
		pyramid\$2 or hierarch\$6	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
4	5	(distance adj map\$1) with (((lower\$3 or	USPAT;	2003/12/13 11:22
1		reduc\$4 or decreas\$3) near3 resolution) or	US-PGPUB;	2003, 12, 13 11:22
		(multiresolution or (multi adj resolution)	EPO; JPO;	
		or pyramid\$2 or hierarch\$6))	DERWENT;	
			IBM TDB	
5	696	distance adj2 map\$1	USPAT;	2003/12/13 11:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	7	(========= ==========================	USPAT;	2003/12/13 11:22
		reduc\$4 or decreas\$3) near3 resolution) or	US-PGPUB;	
		(multiresolution or (multi adj resolution)	EPO; JPO;	
		or pyramid\$2 or hierarch\$6))	DERWENT;	
7	2	((distance adj2 map\$1) with (((lower\$3 or	IBM_TDB USPAT:	2003/12/13 11:22
'	2	reduc\$4 or decreas\$3) near3 resolution) or	USPAT; US-PGPUB;	2003/12/13 11:22
		(multiresolution or (multi adj resolution)	EPO; JPO;	
		or pyramid\$2 or hierarch\$6))) not ((distance	DERWENT;	
		adj map\$1) with (((lower\$3 or reduc\$4 or	IBM TDB	
		decreas\$3) near3 resolution) or		
		(multiresolution or (multi adj resolution)		
		or pyramid\$2 or hierarch\$6)))		